

# PATENT ABSTRACTS OF JAPAN

(11)Publication number : 06-284922

(43)Date of publication of application : 11.10.1994

(51)Int.Cl.

A45D 8/00

(21)Application number : 05-095433

(71)Applicant : NIPPON SHINKU KK

(22)Date of filing : 30.03.1993


(72)Inventor : TSUJIOKA HIROYOSHI

## (54) HAIRDRESSING IMPLEMENT

### (57)Abstract:

**PURPOSE:** To create various attractive hairstyles with simple means and operation even for oneself by providing an implement with a loop-like hair passing hole 2 formed by an elastic member and an inserting portion integral therewith having a proper length for inserting into hair.

**CONSTITUTION:** The hair passing hole 2 in a hairdressing implement 1 and an inserting portion 3 to be inserted into hair are untiedly formed as a plastic mold, and a base end 3a side of the inserting portion 3 being gently pointed to make its insertion easy. First, the hair passing portion 3 is inserted from above into the hair near an elastic band 6 at the root of a ponytail, then the bundle 5a thereof at the lower end side of the ponytail 5 is passed through the hair passing hole 2 above. Next, while the base end 3a of the inserting portion 3 is held, the hair is pulled from the rear side of the plastic band 6, and the hairdressing implement 1 is pulled out. By so doing, the hairs on both sides of the ponytail 5 are converged at the rear central portion, where the elastic band 6 is hidden, and the hair drops from behind the rear central portion, resulting in a lovely hairstyle.



## LEGAL STATUS

[Date of request for examination] 30.03.1993

[Date of sending the examiner's decision of rejection] 26.09.1995

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of

\* NOTICES \*

JPO and NCIPi are not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. \*\*\*\* shows the word which can not be translated.
3. In the drawings, any words are not translated.

---

CLAIMS

---

[Claim(s)]

[Claim 1] The \*\*\*\* implement characterized by consisting of the hair run-through-hole section of the shape of a loop formation formed by the elastic member, and \*\*\*\*\* which is formed in this hair run-through-hole section and one, and has proper die length.

[Claim 2] The \*\*\*\* implement according to claim 1 with which said hair run-through-hole section and said \*\*\*\*\* are really fabricated with plastics.

[Claim 3] The \*\*\*\* implement according to claim 1 said whose hair run-through-hole section is a product made from plastics at least.

[Claim 4] The \*\*\*\* implement according to claim 1 said whose hair run-through-hole section is a product made of rubber at least.

[Claim 5] The \*\*\*\* implement according to claim 1 with which it is flat, and it is an elongated plate-like, and said \*\*\*\*\* serves as the shape of acute [ with a loose end face side ].

[Claim 6] The \*\*\*\* implement according to claim 1 the number of said hair run-through-hole sections is [ implement ] two.

---

[Translation done.]

Page 2

\* NOTICES \*

JPO and INPIT are not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. \*\*\*\* shows the word which can not be translated.
3. In the drawings, any words are not translated.

---

EXAMPLE

---

[Example] Hereafter, the example concerning this invention is explained based on drawing. A perspective view for the front view of one example which drawing 1 requires for this invention, and drawing 2 to explain a busy condition, as for the side elevation, drawing 3, or drawing 6 of drawing 1, the perspective view of a hair form in which drawing 7 was completed after the activity, the front view of other examples which drawing 8 requires for this invention, and drawing 9 are the front views of the example of others [ pan / concerning this invention ].

[0008] The \*\*\*\* implement 1 which starts this example in drawing 1 and drawing 2 consists of the hair run-through-hole section 2 of the shape of a loop formation for letting hair pass, and \*\*\*\*\* 3 which has the proper die length for putting to hair. And the hair run-through-hole section 2 and \*\*\*\*\* 3 are really by plastics shaping, and the whole is manufactured with this construction material in the \*\*\*\* implement 1.

[0009] However, although \*\*\*\*\* 3 is flat and it is an elongated plate-like, since there are width of face and thickness to some extent to having elasticity since the hair run-through-hole section 2 has the thin perimeter which forms the loop formation, it is strong structure. And in \*\*\*\*\* 3, the end face 3a side serves as the shape of acute [ loose ], and it is easy to put in hair. In addition, since the hair run-through-hole section 2 has elasticity, when extracting from hair, when loop shape bends long and slender, while it can let hair pass smoothly, and sensing painfulness for hair or hurting one's hair, after an activity returns to the original condition and has convenient composition.

[0010] Next, the operation of the \*\*\*\* implement 1 is explained. First, \*\*\*\*\* 3 is inserted from a top into the hair of the bottom of the elastic band 6 neighborhood of ponytail 5 (refer to drawing 3). Next, it lets bundle 5a by the side of the soffit of ponytail 5 pass to the hair run-through-hole section 2 which has come out upwards (refer to drawing 4). Subsequently, the end face 3a side of \*\*\*\*\* 3 is grasped, and it pulls from the backside of the elastic band 6 (refer to drawing 5). And the \*\*\*\* implement 1 is extracted (refer to drawing 6).

[0011] If it does so, while the hair of the both sides of ponytail 5 will serve as appearance which converges toward a back center section, the elastic band 6 hides in the backside of the center section, and hair serves as completion of a hair form with lower [ great ] from the backside of the center section (refer to drawing 7).

[0012] Although drawing 1 thru/or drawing 7 are examples which build a charming hair form using the \*\*\*\* implement 1 concerning this example, it can build various charming hair forms similarly. For example, if the \*\*\*\* implement 1 is inserted aslant and extracted at the bottom of ponytail 5, will become the great hair form with which attractive points differed, and \*\*\*\*\* 3 will be reversely inserted from the bottom into the hair of the bottom of the elastic band 6 neighborhood of ponytail 5 with having mentioned above. If it extracts upwards through bundle 5a by the side of the soffit of ponytail 5 to the hair run-through-hole section 2 located caudad, the charming hair form with which this again attractive points differed will be completed.

[0013] Furthermore, ponytail 5 is made from the beginning the-two upper and lower sides, and if the same actuation as the above-mentioned is performed to the each, a too great hair form will be obtained.

Page 3

Moreover, you may use together with a head strap and it suits also in what knit ponytail well. And further, not only ponytail but the \*\*\*\* implement 1 which also starts the hair lowered to the form of PAPIYAZU (lug of a little dog) at this example is very effective, and can build a peculiar charming hair form too.

[0014] Thus, if the \*\*\*\* implement 1 is used, various charming hair forms can build with their easy actuation immediately. [ one ] that is, since a hair form is changeable every day, they are what spending every day with a pleasant and sufficient feeling also has that can be alike and contribute.

[0015] In addition, although the \*\*\*\* implements 1 in this example are the one mold goods of plastics, it may not be limited to this, and the product made from leather is sufficient as the whole, and only the hair run-through-hole sections may be plastics and a product made of rubber, and the direction of \*\*\*\*\* seems to be the product made from a tree metallurgy group. Moreover, an egg form or an electric bulb form is sufficient as it, and even when not only the shape of an elongated plate but \*\*\*\*\* of the loop shape of the hair run-through-hole section is cylindrical, it is good. Moreover, the crowning of hair run-through-hole section 7a may be set to convex ring section 7b like the \*\*\*\* implement 7 shown in drawing 8 .


[0016] The hair run-through-hole section is not limited to one thing, and seems to have the two hair run-through-hole sections 9 like the \*\*\*\* implement 8 shown in drawing 9 , when it furthermore states. Two things have the advantage which through-comes to be easy of hair, although one a thing and an operation have [ the hair run-through-hole section ] the the same hair run-through-hole section. In addition, a certain thing is sufficient as the three or more hair run-through-hole sections. Moreover, the \*\*\*\* implement concerning this invention can be used for a paper knife, earpick, or scissors.

---

[Translation done.]

Page 4

Drawing selection drawing 8



[Translation done.]

Page 5